

BINOCULAR

INFORMATION



www.facebook.com/vectoropticsofficial
www.facebook.com/groups/vectoropticscope



www.youtube.com/@VectorOptics




<https://www.vectoroptics.com/>



CONTINENTAL BINOCULAR

ROOF PRISM ED LENS

6 groups 8 lens offers superior optical quality by reducing internal light scattering for clearer, brighter images. ED glass corrects chromatic aberration. It enhances sharpness and contrast, even at high magnification.



CONTINENTAL


VS




OTHER

IDP

Adjust the interpupillary distance.



Distance between the centers of the ocular lenses.



Rotate the barrels in or out to match the IPD of your eyes with that of the binocular.

STRAP LOOP


Allow the binoculars to be attached to a strap or lanyard for easy carrying.

DIOPTER ADJUSTMENT

To balance the difference in vision between two eyes, providing diopter compensation from -4 to +4.

EYECUPS

Binocular is fitted with eyecups delivering a comfortable view of the full field.



4 ADJUSTABLE HEIGHT SETTINGS

CENTER FOCUS RING



Adjust the center focus wheel for a sharp image, with a near focus of 2.5 meters.

EYE PIECE IMAGING

A higher number of groups improves 87% light transmission and reduces glare. Equipped with generously sized 23mm eyepieces, maximum FOV 426ft/1000yds. Specifically designed for all scenarios and sets the benchmark for superior optical performance.

ROTATABLE RETICLE

Reticle can rotate when turn around.



WARRANTY

Lifetime warranty

ALL-WEATHER ARMOR

The Continental boast a housing crafted from high-strength, lightweight materials for exceptional durability without weighing you down. Additionally, the housing is IP67 waterproof making them ideal for use in any weather condition.

CONTINENTAL BINOCULAR



SCBO-05



SCBO-06



SCBO-07



SCBO-08



SCBO-09



SCBO-10



SCBO-14



SCBO-15

Magnification	8x	10x	10x	10x	15x	8x	8x	10x
Objective Lens Dia	42mm	42mm	42mm	50mm	56mm	56mm	42mm	42mm
Type of Prism	BAK4 roof prism	BAK4 roof prism	BAK4 roof prism	BAK4 roof prism	BAK4 roof prism	BAK4 roof prism	BAK4 roof prism	BAK4 roof prism
Optical Structure	6 Groups 8 Lens	6 Groups 8 Lens	6 Groups 8 Lens	6 Groups 8 Lens	6 Groups 8 Lens	6 Groups 8 Lens	6 Groups 8 Lens	6 Groups 8 Lens
Coating	FMC	FMC	FMC	FMC	FMC	FMC	FMC	FMC
Coating on Prism	Silver coated	Silver coated	Silver coated	Silver coated	Silver coated	Silver coated	Silver coated	Silver coated
Focus System	Center focus	Center focus	Center focus	Center focus	Center focus	Center focus	Center focus	Center focus
Exit Pupil (mm / inch)	5.25 / 0.20	4.2 / 0.16	4.2 / 0.16	4.17 / 0.16	3.73 / 0.15	7 / 0.27	5.25 / 0.20	4.2 / 0.16
Eye Relief (mm / inch)	12.2 / 0.48	12.2 / 0.48	12.2 / 0.48	15.4 / 0.60	13.9 / 0.54	20 / 0.78	12.2 / 0.48	12.2 / 0.48
Near Focus (m)	2.5	2.5	2.5	3.5	3.7	3.5	2.5	2.5
FOV@1000yds	426	366	366	282	210	378	426	366
FOV @1000m	142	131	131	94	70	126	142	131
Dimensions (mm)	147x55x120	147x55x120	147x55x120	140x60x176	190x160x68	190x160x68	147x55x120	147x55x120
Weight (g / oz)	840 / 29.6	804 / 28.36	804 / 28.36	1230 / 43.4	1410 / 49.7	1200 / 42.3	840 / 29.6	804 / 28.36
Focus Type	Center	Center	Center	Center	Center	Center	Center	Center
Eyecups	Twist-up	Twist-up	Twist-up	Twist-up	Twist-up	Twist-up	Twist-up	Twist-up
Reticle	/	/	Mil-L	/	/	/	/	/
Waterproof	IPX7	IPX7	IPX7	IPX7	IPX7	IPX7	IPX7	IPX7

Accessories included




PARAGON BINOCULAR

STRAP LOOP

Allow the binoculars to be attached to a strap or lanyard for easy carrying.

ROOF PRISM HD LENS

5 groups 7 lens offers superior optical quality by reducing internal light scattering for clearer, brighter images. High-Density glass that provides enhanced clarity, sharpness, and color accuracy for improved visual performance while aiming and shooting.




PARAGON



OTHER

IDP

Adjust the interpupillary distance.



Distance between the centers of the ocular lenses.



Rotate the barrels in or out to match the IPD of your eyes with that of the binocular.



WARRANTY

Lifetime warranty

ALL-WEATHER ARMOR


The Continental boast a housing crafted from high-strength, lightweight materials for exceptional durability without weighing you down. Additionally, the housing is IP67 waterproof making them ideal for use in any weather condition.

DIOPTER ADJUSTMENT

to balance the difference in vision between two eyes, providing diopter compensation from -4 to +4.

EYECUPS

Binocular is fitted with eyecups delivering a comfortable view of the full field.



4 ADJUSTABLE HEIGHT SETTINGS

CENTER FOCUS RING

Adjust the center focus wheel for a sharp image, with a near focus of 3 meters.

EYE PIECE IMAGING

Phase correction coating and ED lens deliver crisp, clear images with excellent color fidelity and contrast. maximum FOV 366ft/1000yds, a go-to choice for bird-watching and observation.



PARAGON BINOCULAR



SCBO-03



SCBO-04



SCBO-12



SCBO-13

Magnification	8x	10x	8x	10x
Objective Lens Dia	42mm	42mm	42mm	42mm
Type of Prism	BAK4 roof prism	BAK4 roof prism	BAK4 roof prism	BAK4 roof prism
Optical Structure	5 Groups 7 Lens	5 Groups 7 Lens	5 Groups 7 Lens	5 Groups 7 Lens
Coating	FMC	FMC	FMC	FMC
Coating on Prism	Silver coated	Silver coated	Silver coated	Silver coated
Focus System	Center focus	Center focus	Center focus	Center focus
Exit Pupil (mm / inch)	5.25 / 0.20	4.1 / 0.16	5.25 / 0.20	4.2 / 0.16
Eye Relief (mm / inch)	19 / 0.74	19 / 0.74	19 / 0.74	19 / 0.74
Near Focus (m)	3	3.5	3	3.5
FOV@1000yds	347	331	329	299
FOV @1000m	116	131	110	100
Dimensions (mm)	146x54x128	146x54x128	150x123x114	150x123x114
Weight (g / oz)	685 / 24.2	675 / 23.8	585 / 20.6	582 / 20.5
Focus Type	Center	Center	Center	Center
Eyecups	Twist-up	Twist-up	Twist-up	Twist-up
Reticle	/	/	/	/
Waterproof	IPX6	IPX6	IPX6	IPX6

Accessories included




FORESTER BINOCULAR

STRAP LOOP (OTHER SIDE)

Allow the binoculars to be attached to a strap or lanyard for easy carrying.


PORRO PRISM LENS

Offer a wider field of view, and create a natural stereoscopic effect. An ideal for birdwatching, hunting, or appreciating the 3D effect of live performances.




IDP

Adjust the interpupillary distance.



Distance between the centers of the ocular lenses.



Rotate the barrels in or out to match the IPD of your eyes with that of the binocular.



WARRANTY

5 years warranty.

DIOPTER ADJUSTMENT

to balance the difference in vision between two eyes, providing diopter compensation from -4 to +4.

EYECUPS

Binocular is fitted with eyecups delivering a comfortable view of the full field.



FIXED RUBBER EYE CUPS

CENTER FOCUS RING

Adjust the center focus wheel for a sharp image, with a near focus of 3.5 meters.

EYE PIECE IMAGING

Fully multi-coated lenses enhance the clarity, brightness, and sharpness of the images maximum FOV 122ft/1000yds.

Satisfy the needs of beginners and occasional users with high-quality.



FORESTER BINOCULAR



SCBO-16



SCBO-17



SCBO-18


Magnification	7x	10x	12x
Objective Lens Dia	50mm	50mm	50mm
Type of Prism	Porro Prism	Porro Prism	Porro Prism
Coating	FMC	FMC	FMC
Coating on Prism	Silver coated	Silver coated	Silver coated
Focus System	Center focus	Center focus	Center focus
Exit Pupil (mm / inch)	7.1 / 0.27	5.0 / 0.19	4.1 / 0.16
Eye Relief (mm / inch)	?	?	?
Near Focus (m)	?	?	?
FOV@1000yds	366	340	303
FOV @1000m	122	113	101
Dimensions (mm)	179x190x62	179x190x62	179x190x62
Weight (g / oz)	850 / 30	850 / 30	850 / 30
Focus Type	Center	Center	Center
Eyecups	Fixed	Fixed	Fixed
Reticle	/	/	/
Waterproof	IPX6	IPX6	IPX6

Accessories included



BINOCULAR RETICLE

SCBO-07



MIL-L